

# Mini-STYLO T5



Mini-STYLO is designed for confined spaces where the size matters!  
Cost and energy efficient, Mini-STYLO is an ultra slim versatile furniture luminaire solution for the everyday's comfort.

Including GE's smallest diameter fluorescent T5 lamp type Mini-STYLO provides the perfect benefits of electronic fluorescent ballast systems. Thanks to the 40% thinner T5 tubes compared to the T8 lamps the Mini-STYLO fittings fit ideally into limited-space areas.

The package contains a built-in on/off switch and a diffuser that snaps to the body and allows a ready to install solution.

### Key features and benefits

- Ultra Slim dimension ideal for under shelf use
- A choice of 3 wattages
- Polycarbonate UV resistant clear diffuser
- Internal aluminized reflector
- Includes GE T5 high quality lamp
- Instant flicker-free starting
- Silent operation
- Internal aluminized reflector
- Ease of electrical connection via provided through wiring connector
- IP40 for dusty environments
- Quick installation supplied brackets

### Lamp

8, 14, 28w GE T5 lamps, cap: G5. CRI: 85+, 4000°K

### Accessories/Options

- Installation brackets and screws
- Main cable connector for domestic plug socket and connection block.
- Protective electrical cap
- Side-by-side and 40mm long electrical rapid connection kit



## Installation/Mounting

Suitable for surface vertical or horizontal mounting surface for interior use. The body is fixed onto the mounting surface via adjustable plastic rapid kit (horizontal or vertical). Main connection via domestic plug socket or connecting block.

## Materials/Finish

**Body:** white painted extruded aluminium.

**End cap:** White polycarbonate end caps and lamp holders

**Control gear and electrical circuit:** High Power Factor electronic ballast.

Cos > 0.95. Operates under 220-240V, 50-60Hz.

**Cable connection:** RoHS Main cables. Suitable for domestic plug socket and terminal blocks. Connection cables are supplied.



## Light

**Lighting performance and comfort:**

Highly efficient GE T5, excellent colour rendering.

UV resistant polycarbonate diffuser.

Internal aluminized reflector for a better light efficiency.


Flicker-free light for task efficiency

## Efficiency

**EcoMagination®:**

Energy saving lighting system, consumption efficiency with electronic ballast and GE T5 lamps to minimize maintenance costs.

L.E.A.D.



## Design

**Construction:**

Ultra Slim, robust, and functional ideal for domestic and retail display applications

**Aesthetics:**

Slim profile to allow under shelves

## Application

Ideal for domestic and shop applications lighting under-counters, kitchen, shelves, display cabinets, furniture cabinets, mobile homes.





**Marking** Class II □ • IEC 60598 – 230V-240V/50-60Hz • Flammability: **F** • IP Protection: **IP40**

## Ordering guide

### Product code Description

<b>88759</b>	OL MINI-STYLO MSTY108 T5 840 230V GE
<b>88760</b>	OL MINI-STYLO MSTY114 T5 840 230V GE
<b>88761</b>	OL MINI-STYLO MSTY128 T5 840 230V GE



## Sales offices

### BAHRAIN, KUWAIT, OMAN, PAKISTAN, QATAR, SRI LANKA, UAE

GE International Inc.  
City Tower II, Sheikh Zayed Rd P.O.Box 52905  
DUBAI  
U.A.E.  
Tel: (971) 4 3310 444 Fax: (971) 4 3315 930

### BOSNIA AND HERZEGOVINA, CROATIA, SLOVANIA

Adria Lighting & Power Protection  
Media Light d.o.o.  
Exclusive agent of GE Hungary Rt.  
Lighting and Power Protection for  
Bosnia, Croatia and Slovenia.  
Brncićeva 31  
1000 Ljubljana  
Slovenia  
Phone: (386) 1 5304366  
Fax: (386) 1 530 4361

### BULGARIA

GEIL-Bulgaria  
Str.Dragan Tzankov 36, 1040 Sofia  
Phone: (359) 2 971 4389  
Fax: (359) 2 971 4384

### HUNGARY

GE Hungary ZRt.  
1340 Budapest  
Váci út 77.  
Phone: (36) 1 399 1100  
Fax: (36) 1 399 1672

### ITALY

Via Brescia 31,  
36040 Torri di Quartesolo (VI)  
Vicenza  
Phone: +39 0444 26781  
Fax: +39 0444 267818

### POLAND

GE Power Controls Sp. z o.o., ul. Leszczyńska 6, 43-300  
Bielsko-Biała,  
NIP: 937-23-00-602,  
REGON: 072347963,  
KRS: 0000012217,  
Sąd rejonowy w Bielsku-Białej, VIII Wydział Gospodarczy  
Krajowego Rejestru Sądowego, Kapitał zakładowy:  
27.290.000,00 PLN  
Tel: (48) 22 519 76 00  
Fax: (48) 22 519 42 01

### RUSSIA

000 GE Rus, Krasnopresnenskaya  
Nab., 18, Moscow, 123317, Russia  
Phone: (7) 495 739 6855  
Fax: (7) 495 739 681

### SPAIN

GE Lighting Appliances España, s.a.,  
Llull 95 – 97 Planta Baja,  
08005 Barcelona  
Freephone in Spain: 900 993.612  
Free fax in Spain: 900 993.609

### TURKEY

Sun Plaza, Dereboyu Sokak No.  
24/6, Maslak, Istanbul 34398 Turkey  
Phone:(90) 212 366 28 00  
Fax: (90) 212 366 28 40